

UNITED STATES DEPARTMENT OF COMMERCE

Patent and Trademark Office

Address: COMMISSIONER OF PATENTS AND TRADEMARKS

Washington, D.C. 20231

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR		ATTORNEY DOCKET NO.
00:7952,196	14716797	NYAN KANCHZHEN		U000687-8
_		コ		EXAMINER
LADAS & PAKE	W	004170324	SCHAP (the W
26 WEST 61ST STREET			ART UNIT	PAPER NUMBER
NEW YORK NY	10023		9737 DATE MAILED:	03/24/99

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner of Patents and Trademarks

Application No. 08/952,194

Applicant(s)

Vladimirovich

Office Action Summary Examiner

Ken Schaetzle

Group Art Unit 3737



Responsive to communication(s) filed on	·		
☐ This action is FINAL.	•		
 Since this application is in condition for allowance except for in accordance with the practice under Ex parte Quayle, 1935 	C.D. 11; 453 O.G. 213.		
A shortened statutory period for response to this action is set to is longer, from the mailing date of this communication. Failure to application to become abandoned. (35 U.S.C. § 133). Extension 37 CFR 1.136(a).	o respond within the period for response will cause the		
Disposition of Claims			
⊠ Claim(s) <u>1-8</u>	is/are pending in the application.		
Of the above, claim(s)	is/are withdrawn from consideration.		
Claim(s) is/are allowed.			
Claim(s)	is/are objected to.		
☐ Claims are subject to restriction or election requirement.			
Application Papers See the attached Notice of Draftsperson's Patent Drawing The drawing(s) filed on	ed to by the Examiner. isapproveddisapproved. under 35 U.S.C. § 119(a)-(d). f the priority documents have been mber) International Bureau (PCT Rule 17.2(a)).		
Attachment(s) ☑ Notice of References Cited, PTO-892 ☑ Information Disclosure Statement(s), PTO-1449, Paper No. ☐ Interview Summary, PTO-413 ☑ Notice of Draftsperson's Patent Drawing Review, PTO-94 ☐ Notice of Informal Patent Application, PTO-152			
SEE OFFICE ACTION ON	THE FOLLOWING PAGES		

Serial Number: 08/952,194

Art Unit: 3737

DETAILED ACTION

Specification

- 1. The abstract of the disclosure is objected to because it is not sufficiently descriptive of the claimed invention. The examiner suggests incorporating a statement pertaining to the purpose of the device. Correction is required. See MPEP § 608.01(b).
- 2. The title of the invention is not descriptive. A new title is required that is clearly indicative of the invention to which the claims are directed. Deletion of the superfluous "Biotron Tszyan-2" is recommended.
- 3. 35 U.S.C. 112, first paragraph, requires the specification to be written in "full, clear, concise, and exact terms." The specification is replete with terms which are not clear, concise and exact. The specification should be revised carefully in order to comply with 35 U.S.C. 112, first paragraph. Examples of some unclear, inexact or verbose terms used in the specification are: "This device allows to transmit..." (page 1, line 8); "As a source of biofield can be used the hands of the operator who..." (page 2, lines 11-13); "...this case is sued a source of information supply..." (page 2, lines 23 and 24); "compargtment" (page 6, line 16); "...biofield must be used green mass of melon..." (page 10, line 17), etc.

Claim Rejections - 35 USC § 112

4. Claims 1-8 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

The word "the" on line 1 of claim 1 should be replaced by the word "a" for antecedent and grammatical purposes.

On line 11, the word "a" should be inserted after the word "forming."

Serial Number: 08/952,194 Page 3

Art Unit: 3737

Reference to "...the last means..." on line 18 is vague, as well as the reference to "...the side opposite to the antenna system...."

The reference to a section in claim 4 is vague. It is not clear if the applicant is referring to the entire chamber in cross-section, or if the applicant is referring to a particular section of the overall chamber.

In claim 5, the word "the" should be inserted before the word "compartments" on line 2 in order to make it clear that one is referring to the compartments already set forth in claim 1. The word "a" before the word "housing" on line 3 should also be replaced by the word "the" for similar reasons. Also on line 4, the recitation "...the bioelectromagnetic field," lacks antecedent basis.

Likewise in claim 6, reference to a reflector and lens should be made to the reflector and lens. Again, the recitation "...the electromagnetic radiation of biofield..." lacks antecedent basis.

Reference to a source in claims 7 and 8 should be made instead to the source, with appropriate grammatical correction to account for the change.

Claim Rejections - 35 USC § 101/112

5. 35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

6. Claims 1-8 are rejected under 35 U.S.C. 101 because the claimed invention is not supported by either a credible asserted utility or a well established utility.

The asserted utility of transmitting a natural information supply to a biological object to "...replenish the biofield of the object..." to "...eliminate possible pernicious influence on a biological object of a source's biofield that has been harmfully affected during its intercourse with another object..." to "...change features of an animal or plant..." would more likely than not have been questioned by those of ordinary skill in the health care or husbandry arts. Note in particular MPEP 2107(b) wherein the courts have stated that inventions purporting to change the taste of

Page 4

Serial Number: 08/952,194

Art Unit: 3737

food via magnetic fields (note page 10 first full paragraph of the present specification) or control the aging process (note page 1, line 26- page 2, line 5 of the present specification), are utilities which are inconsistent with known scientific principles. Since the validity of such utility claims have previously been questioned by those of ordinary skill in the art, so too must the present substantially similar claims for utility be questioned.

The disclosed invention is also inoperative and therefore lacks utility. Given the minuscule amounts of energy and the known types of energy being given off by a biological object such as a plant or animal, it would be highly suspect to those of ordinary skill in the art that said energy could be collected, focused, and transmitted at a distance passively to a second object, causing said second object to take on certain beneficial characteristics of the first object. The transmission of genetic code from one object to another via transmission of the so-called bioelectromagnetic field without physical contact is clearly at odds with all known, scientifically acceptable, genetic research.

- 7. The following is a quotation of the first paragraph of 35 U.S.C. 112:

 The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.
- 8. Claims 1-8 are also rejected under 35 U.S.C. 112, first paragraph. Specifically, since the claimed invention is not supported by either a credible asserted utility or a well established utility for the reasons set forth above in the rejection under 35 U.S.C. § 101, one skilled in the art clearly would not know how to use the claimed invention.

Serial Number: 08/952,194

Art Unit: 3737

Conclusion

9. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ken Schaetzle whose telephone number is (703) 308-2211. The examiner can normally be reached on Mondays through Fridays from 9:30 to 6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Marvin Lateef, can be reached on (703) 308-3256. The fax phone number for the organization where this application or proceeding is assigned is (703) 305-3590.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0858.

Ken Schaetzle

AU 3737

March 19, 1999